



QINGDAO DESIREE

Four Post Lift Price List



Qingdao Desiree Intelligent Equipment Co.,Ltd.

Tel: 0086-532-86157666/86158958 Fax: 0086-532-86159111

Web: www.desirei.com





Item No DFP608/DFP608E

Unit Price: FOB Qingdao USD1250 (manual lock) / USD1390 (E-lock)

Technical Parameter:

Model No.	DFP608/DFP608E
Lifting Capacity	3700kgs/8000lbs
Lifting Height	1800mm
Width Between Posts	2263mm
Width Between Runways	956mm
Outer Dimensions/L*W*H	5135*2664*2084mm
Rise/Drop Time	65/60s
Power	2.2kw



Item No DFP608N/DFP608NE are longer than DFP608



Unit Price:FOB Qingdao USD1280(manual lock)/USD1420(E-lock)

Technical Parameter:

Model No.	DFP608N/DFP608NE
Lifting Capacity	3700kgs/8000lbs
Lifting Height	1900mm
Width Between Posts	2263mm
Width Between Runways	956mm
Outer Dimensions/L*W*H	5244*2664*2136mm
Rise/Drop Time	65/60s
Power	2.2kw

Feature:

- ❖ The best choice for parking and simple repair
- ❖ Hydraulic driven,cable lifting system
- ❖ Manual or electric single point release
- ❖ Automatic lock system ensure safety at different heights
- ❖ Maintenance free load bearing
- ❖ Immovable runway
- ❖ Stop blocks in all posts for added safety
- ❖ Moveable drip trays prevent pollution of vehicle on floor
- ❖ Caster kit for moving the lift easily
- ❖ Mold machining through the whole process so that the parts are universal and interchangeable
- ❖ 120% capacity dynamic load test and 150% capacity static load test
- ❖ Italian oil seal to make sure no oil leakage
- ❖ Solenoid valve with emergency manual drop function
- ❖ Optional manual pump for lock release in case of power off.
- ❖ Optional 24V control box and solenoid valve






Item No DFP608XLT/DFP608XLTE

Unit Price:FOB Qingdao USD1380(manual lock)/USD1520(E-lock)

Technical Parameter:

Model No.	DFP608XLT/DFP608XLTE
Lifting Capacity	3700kgs/8000lbs
Lifting Height	2000mm
Width Between Posts	2441mm
Width Between Runways	1134mm
Outer Dimensions/L*W*H	5629*2842*2340mm
Rise/Drop Time	70/65s
Power	2.2kw

DFP608XLTE is with Anti break protection, power unit can be designed and installed above the columns(optional)






Item No DFPL609

Unit Price:FOB Qingdao USD1350(pneumatic lock release)

Technical Parameter:

Model No.	DFPL609
Lifting Capacity	4200kgs/9000lbs
Lifting Height	1750mm
Width Between Posts	2679mm
Width Between Runways	775/945mm
Outer Dimensions/L*W*H	5192*3083*2108mm
Rise/Drop Time	70/60s
Power	2.2kw







Item No DFPL712B

Unit Price:FOB Qingdao USD1800(pneumatic lock release)

Technical Parameter:

Model No.	DFPL712B
Lifting Capacity	5500kgs/12000lbs
Lifting Height	1800mm
Width Between Posts	2907mm
Width Between Runways	1092mm
Outer Dimensions/L*W*H	5880*3291*2108mm
Rise/Drop Time	70/60s
Power	2.2kw






Item No DFPA609

Unit Price:FOB Qingdao USD1870(pneumatic lock release)

Technical Parameter:

Model No.	DFPA609
Lifting Capacity	4200kgs/9000lbs
Lifting Height	1750mm
Width Between Posts	2679mm
Width Between Runways	775/945mm
Outer Dimensions/L*W*H	5192*3083*2108mm
Rise/Drop Time	70/60s
Power	2.2kw

DFPA609 is aligner lift, with free rolling jack /one piece





Item No DFPA712B

Unit Price:FOB Qingdao USD2440(pneumatic lock release)

Technical Parameter:

Model No.	DFPA712B
Lifting Capacity	5500kgs/12000lbs
Lifting Height	1800mm
Width Between Posts	2907mm
Width Between Runways	1092mm
Outer Dimensions/L*W*H	5880*3291*2108mm
Rise/Drop Time	70/60s
Power	2.2kw

DFPA712B is aligner lift, with free rolling jack /one piece

